



**jaga**



*Energy*  
**SAVERS**  
LOW-H<sub>2</sub>O

**LINEA PLUS FREESTANDING**

€ 2016-2017.EX



*Energy*  
**SAVERS**  
**LOW-H<sub>2</sub>O**

# LINEA PLUS FREESTANDING

Warm power, slim line

- For spaces with large windows, glazed façades, for window displays, conservatories, under window seats and for dwarf walls.
- Discreet slim-line design with flat front panel and stylish aluminium grille.
- No wasteful heat loss from radiation through glazing.
- Low-H<sub>2</sub>O technology with super conductive and ultra fast heat exchanger for low energy consumption and maximum heat emission.
- Twin Power for better compensation of the downward cold air flow next to glazed façades or ventilation grilles.
- Suitable for integrated valve.
- Safe surface temperature.
- **A 30 year guarantee** on the heat exchanger.

Also available as a wall mounted model. See page 42.

LINEA PLUS white 133 (RAL 9016)






LINEA PLUS FREESTANDING

# LINEA PLUS FREESTANDING




## DIMENSIONS (in cm)

### HEIGHT 020



### HEIGHT 035



Also available as a wall mounted model. See page 42.

## DELIVERY

Easy to install by one person. Delivered in a cardboard box, which can also be used as protection on site after installation.

Standard delivery:

- Low-H<sub>2</sub>O heat exchanger with air vent elbow (standard) or extended air vent (twin) 1/8" and drain plug 1/2"
- connection left or right below
- standard adjustable feet in neutral grey

## COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.


Standard colours:

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- sandblast grey (001), fine texture metallic lacquer

Other colours: see colour chart.

## CONNECTION

Standard connection: bottom end left or right



## OPTIONS

### Feet in the same colour as the casing

For feet in the same colour as the casing, repeat the colour code after the code of the radiator.

ex.: LINF. HHH LLL TT.XXX/XXX

Surcharge	Length casing	feet	€
	050 > 110	2 feet	15,50
	120 > 220	3 feet	23,30
	240 > 300	4 feet	31,10

### Extended adjustable feet

- For installation on a rough subfloor or computer floor.


- For extended feet in neutral grey, add /AL to the ordering code.

ex.: LINF. 020 050 10.XXX/AL

- For extended feet in the same colour as the casing, add /AL to the ordering code and repeat the colour code.

ex.: LINF. 020 050 10.XXX/AL/XXX

Surcharge	Length casing	grey	colour	€
	050 > 110	2 feet	7,00	25,90
	120 > 220	3 feet	10,50	38,90
	240 > 380	4 feet	13,90	51,90




## ORDERING CODE

code	height	length	type	colour
LINF .	020	050	10 .	XXX
fill in colour code				

## CONNECTION SETS

### Jaga H-valve to the floor for one or two pipe

TRV head and sleeve couplings Eurocone 3/4" included.



set 104	CODE 1-PIPE/2-PIPE	€
	COLO.HBSF.JC.4...	80,10
	COLO.HBSF.JW.4...	70,70

fill in sleeve coupling code

Precision metal tube 14/1	114
Precision metal tube 15/1	115
Precision metal tube 16/1	116
RPE/ALU tube 16/2	616

### Other connections:

see chapter "Connection sets and valves" for all connection options and technical information.

# LINEA PLUS FREESTANDING

LINF.HHH LLL TT.XXX




		STANDARD				
L	H 020	Type	Watts	Watts	€	€
			75/65	55/45	st. colour	other
050	10	271	130	<b>189,70</b>	<b>245,00</b>	
	15	483	233	<b>223,50</b>	<b>287,20</b>	
060	10	325	156	<b>200,70</b>	<b>258,80</b>	
	15	580	280	<b>237,10</b>	<b>303,90</b>	
070	10	379	182	<b>219,00</b>	<b>280,00</b>	
	15	676	327	<b>261,90</b>	<b>332,00</b>	
080	10	433	208	<b>233,70</b>	<b>299,80</b>	
	15	773	373	<b>280,50</b>	<b>356,30</b>	
090	10	487	234	<b>245,70</b>	<b>316,50</b>	
	15	869	420	<b>296,30</b>	<b>376,50</b>	
100	10	541	260	<b>262,10</b>	<b>335,00</b>	
	15	966	467	<b>317,50</b>	<b>400,50</b>	
110	10	595	286	<b>273,30</b>	<b>349,50</b>	
	15	1063	514	<b>333,50</b>	<b>420,10</b>	
120	10	649	312	<b>306,60</b>	<b>388,00</b>	
	15	1159	560	<b>370,90</b>	<b>462,40</b>	
140	10	757	364	<b>331,00</b>	<b>419,80</b>	
	15	1352	653	<b>403,10</b>	<b>502,80</b>	
160	10	866	416	<b>389,90</b>	<b>498,90</b>	
	15	1546	747	<b>476,40</b>	<b>597,00</b>	
180	10	974	468	<b>422,60</b>	<b>544,10</b>	
	15	1739	840	<b>516,90</b>	<b>650,50</b>	
200	10	1082	520	<b>457,60</b>	<b>592,80</b>	
	15	1932	933	<b>581,70</b>	<b>729,60</b>	
220	10	1190	571	<b>533,50</b>	<b>697,60</b>	
	15	2125	1027	<b>675,60</b>	<b>853,20</b>	
240	10	1298	623	<b>586,30</b>	<b>763,10</b>	
	15	2318	1120	<b>738,80</b>	<b>929,80</b>	
260	10	1407	676	<b>619,80</b>	<b>807,30</b>	
	15	2512	1214	<b>781,40</b>	<b>983,50</b>	
280	10	1515	728	<b>651,10</b>	<b>848,80</b>	
	15	2705	1307	<b>821,50</b>	<b>1034,30</b>	

		STANDARD			
H 035	Type	Watts	Watts	€	€
		75/65	55/45	st. colour	other
10	392	190	<b>209,70</b>	<b>275,30</b>	
15	673	330	<b>244,80</b>	<b>319,80</b>	
10	470	228	<b>223,20</b>	<b>294,10</b>	
15	808	396	<b>261,10</b>	<b>341,70</b>	
10	548	265	<b>243,00</b>	<b>317,50</b>	
15	942	461	<b>287,10</b>	<b>371,90</b>	
10	626	303	<b>259,60</b>	<b>340,00</b>	
15	1077	527	<b>307,70</b>	<b>398,90</b>	
10	705	341	<b>275,60</b>	<b>363,50</b>	
15	1211	593	<b>327,70</b>	<b>426,00</b>	
10	783	379	<b>292,60</b>	<b>383,60</b>	
15	1346	659	<b>349,50</b>	<b>451,30</b>	
10	861	417	<b>306,00</b>	<b>401,30</b>	
15	1481	725	<b>367,60</b>	<b>474,40</b>	
10	940	455	<b>341,90</b>	<b>442,70</b>	
15	1615	791	<b>407,30</b>	<b>519,30</b>	
10	1096	531	<b>371,00</b>	<b>482,40</b>	
15	1884	922	<b>444,50</b>	<b>567,80</b>	
10	1253	607	<b>435,60</b>	<b>571,50</b>	
15	2154	1055	<b>523,20</b>	<b>671,90</b>	
10	1409	683	<b>473,00</b>	<b>624,80</b>	
15	2423	1186	<b>569,00</b>	<b>733,70</b>	
10	1566	759	<b>512,00</b>	<b>680,40</b>	
15	2692	1318	<b>637,40</b>	<b>819,30</b>	
10	1723	835	<b>592,80</b>	<b>793,40</b>	
15	2961	1450	<b>736,30</b>	<b>951,20</b>	
10	1879	910	<b>652,20</b>	<b>867,80</b>	
15	3230	1581	<b>805,70</b>	<b>1036,60</b>	
10	2036	986	<b>689,30</b>	<b>918,40</b>	
15	3500	1714	<b>852,10</b>	<b>1096,70</b>	
10	2192	1062	<b>724,90</b>	<b>967,90</b>	
15	3769	1845	<b>896,40</b>	<b>1155,40</b>	

		TWIN			
Type	Watts	Watts	€	€	
			75/65	55/45	st. colour
11	524	249	<b>290,40</b>	<b>356,20</b>	
16	733	347	<b>341,00</b>	<b>416,10</b>	
11	629	298	<b>308,40</b>	<b>379,30</b>	
16	879	416	<b>364,00</b>	<b>444,70</b>	
11	734	348	<b>339,90</b>	<b>414,40</b>	
16	1026	485	<b>406,60</b>	<b>491,40</b>	
11	838	398	<b>362,50</b>	<b>443,00</b>	
16	1172	555	<b>435,30</b>	<b>526,70</b>	
11	943	447	<b>383,00</b>	<b>470,90</b>	
16	1319	624	<b>463,70</b>	<b>562,20</b>	
11	1048	497	<b>410,10</b>	<b>501,00</b>	
16	1465	693	<b>499,20</b>	<b>601,00</b>	
11	1153	547	<b>429,00</b>	<b>524,50</b>	
16	1612	763	<b>524,90</b>	<b>631,80</b>	
11	1258	597	<b>472,50</b>	<b>573,30</b>	
16	1758	832	<b>575,80</b>	<b>687,90</b>	
11	1467	696	<b>512,90</b>	<b>624,10</b>	
16	2051	970	<b>629,40</b>	<b>752,70</b>	
11	1677	795	<b>601,00</b>	<b>736,80</b>	
16	2344	1109	<b>742,40</b>	<b>890,80</b>	
11	1886	895	<b>650,60</b>	<b>802,40</b>	
16	2637	1248	<b>806,20</b>	<b>970,90</b>	
11	2096	994	<b>701,50</b>	<b>869,70</b>	
16	2930	1386	<b>909,80</b>	<b>1091,70</b>	
11	2306	1094	<b>810,10</b>	<b>1010,60</b>	
16	3223	1525	<b>1050,10</b>	<b>1265,00</b>	
11	2515	1193	<b>884,50</b>	<b>1100,20</b>	
16	3516	1664	<b>1141,20</b>	<b>1372,00</b>	
11	2725	1293	<b>935,70</b>	<b>1164,90</b>	
16	3809	1802	<b>1208,30</b>	<b>1453,00</b>	
11	2934	1392	<b>984,40</b>	<b>1227,50</b>	
16	4102	1941	<b>1272,50</b>	<b>1531,50</b>	

EN442 output at 20°C room temperature



Jaga International  
Verbindingslaan z/n  
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 16  
Fax: +32 (0)11 29 41 60  
export@jaga.be

The information in this price list is correct at the time of printing.  
Jaga reserves the right to change product specification at any time in line  
with our policy of continuous improvement and innovation.  
All prices in Euro, exclude VAT. Prices valid from 1st August 2016.  
Replaces all existing price lists.