



**jaga**



*Energy*  
**SAVERS**  
LOW-H<sub>2</sub>O

**MAXI**

€ 2016-2017.EX



*Energy*  
**SAVERS**  
**LOW-H<sub>2</sub>O**

# MAXI

Powerful warmth  
strong and safe

- Super strong casing with front panel made of 1.5 mm-thick steel 'U' profiles and sides with safe, rounded corners.
- Low-H<sub>2</sub>O technology with super conductive and ultra fast heat exchanger for low energy consumption and maximum heat emission.
- Twin Power for better compensation of the downward cold air flow next to glazed façades or ventilation grilles.
- DBE model for super-low water temperatures from 28°C.
- Suitable for an integrated valve and concealed connection.
- Safe surface temperature.
- **A 30 year guarantee** on the heat exchanger.

MAXI aluminium 006 (RAL 9006) (non standard colour)






# MAXI




## DIMENSIONS (in cm)

Type 10/11    Type 15/16    Type 20/21  
**MAXI WT • WALL TOP GRILL**




**STANDARD**    **TWIN**  
 Type 10/15/20    Type 11/16/21






**WITH DBE**




⚠ Plug socket or 12Vdc power supply required behind or alongside the radiator.






**MAXI WF • WALL FRONT GRILL**



**MAXI FT • FLOOR TOP GRILL**



**MAXI FF • FLOOR FRONT GRILL**



# MAXI

## DELIVERY

Delivered in a cardboard box, which can also be used as protection on site after installation.

Standard delivery:

- Low-H<sub>2</sub>O heat exchanger with wall brackets, fixing kit, extended air vent 1/8" and drain plug 1/2"
- complete premounted casing for right handed bottom end connection

Delivery with DBE:

- number of DBE unit(s) varies according to the length
- operation, control and power supply 12VDC
- mounting instructions
- packed with the radiator

## COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- traffic white RAL 9016 (233), smooth glossy finish
- sandblast grey (001), fine texture metallic lacquer

Other colours: see colour chart.

## CONNECTION

Standard connection:

Bottom end left or right, to the wall or to the floor. Connection to the wall via the bottom of the casing, or totally concealed within the casing, depending on the valve or connection set chosen.

Optional high level valve:

add to the code of the radiator /30 (left) or /60 (right)

Ex. MAXW.044 063 10.XXX/  
WF/60


High level valve details : see "Connection sets & Valves".

Optional remote controlled valve:

add to the code of the radiator /00.

Ex. MAXW.044 063 10.XXX/WF/00

For valve set prices see chapter "Connection sets & valves"




## CONNECTION SETS


To the wall, totally concealed within the casing

TRV head and sleeve couplings Eurocone 3/4" included.

### MAXI WT/WF



### MAXI FT/FF



set 225

### CODE 2-PIPE

€



COLO.SW2.JC.4...

64,80



COLO.SW2.JW.4...

55,30

fill in sleeve coupling code

Precision metal tube 14/1 114

Precision metal tube 15/1 115

Precision metal tube 16/1 116

RPE/ALU tube 16/2 616

### Other connections:

See chapter "Connection sets and valves" for all connection options and technical information

## ORDERING CODE

code height length type colour model conn.  
MAXW. 044 063 10. XXX XX /70

fill in colour code ↙

WT (Wall Top grill)

WF (Wall Front grill)

FT (Floor Top grill)

FF (Floor Front grill)

## ORDERING CODE WITH DBE

code height length type colour model conn. Option  
MAXW. 044 063 10. XXX XX /70 /DBE

fill in colour code ↙

fill in model ↘

DBE should be selected according to the power in comfort mode, as stated in the price and output table. The transition between standby (inactive) and comfort is managed automatically depending on the measured temperature and settings. For boost mode: see [www.theradiatorfactory.com](http://www.theradiatorfactory.com)



## OPTIONS

More information and prices: see chapter "Parts & Options".

### Pencil-proof grille

Unobtrusively positioned below the standard grille. Optional pencil-proof grille: to stop smaller objects or waste falling within the casing. Lacquered in the same colour as the casing. Only for Maxi WT and FT.

### Base grille

Screens the bottom of the casing. Lacquered in the same colour as the casing. Only for Maxi WF and WT.


### Locks

2 per casing: to ensure that the casing cannot be de-mounted without tools. For all models.

### Safety screws

100 safety screws: as replacement for regular screws. Requires special tool for removal (security torx bit).

Maxi is also available in type 06: see [www.theradiatorfactory.com](http://www.theradiatorfactory.com)



# MAXI WT - WALL MOUNTED MODEL - TOP GRILLE

MAXW.HHH LLL TT.XXX/WT/70

STANDARD					TWIN					
	Type	Watts	Watts	€	Type	Watts	Watts	€	€	
		75/65	55/45	st. colour		other	75/65	55/45	st. colour	other
<b>L H 044</b>										
063	10	599	294	383,30	436,30	11	788	378	464,40	517,40
	15	977	483	415,00	469,80	16	1057	501	513,90	568,70
	20	1368	676	447,80	504,40	21	1412	663	538,30	594,80
083	10	790	388	418,60	474,30	11	1038	498	517,70	573,30
	15	1287	636	460,30	518,10	16	1392	660	584,00	641,90
	20	1802	890	504,10	563,90	21	1860	873	618,80	678,50
103	10	980	482	451,50	510,10	11	1288	618	565,00	623,80
	15	1597	789	502,20	562,90	16	1728	819	647,90	708,50
	20	2236	1105	555,80	618,70	21	2308	1084	692,20	755,00
123	10	1170	575	479,10	540,40	11	1538	737	604,10	665,30
	15	1907	942	539,20	602,90	16	2064	978	701,50	765,30
	20	2670	1319	601,10	667,30	21	2756	1294	754,40	820,70
143	10	1360	668	538,10	604,80	11	1788	857	674,20	740,80
	15	2217	1096	605,30	674,40	16	2399	1137	784,40	853,40
	20	3104	1534	695,10	766,70	21	3205	1505	877,50	949,00
163	10	1550	762	581,40	650,70	11	2039	978	740,80	810,10
	15	2527	1249	662,70	734,70	16	2735	1296	875,50	947,60
	20	3538	1748	768,50	843,00	21	3653	1715	985,00	1059,70
<b>L H 059</b>										
063	10	703	348	421,50	481,00	11	901	432	502,60	562,30
	15	1129	563	454,30	515,90	16	1243	587	553,20	614,80
	20	1578	787	487,60	551,00	21	1702	794	578,10	641,60
083	10	927	459	461,10	524,20	11	1187	570	560,10	623,20
	15	1487	742	504,20	569,40	16	1637	773	627,90	693,10
	20	2079	1037	547,20	614,80	21	2242	1046	662,00	729,50
103	10	1150	569	497,40	564,00	11	1474	707	610,90	677,50
	15	1846	921	549,00	617,90	16	2032	960	694,60	763,50
	20	2579	1286	602,50	673,80	21	2782	1298	739,00	810,20
123	10	1373	679	528,60	598,50	11	1760	845	653,40	723,50
	15	2204	1099	589,30	661,90	16	2426	1146	751,70	824,40
	20	3080	1536	651,10	726,70	21	3322	1550	804,60	880,00
143	10	1596	790	596,30	672,70	11	2046	982	732,20	808,70
	15	2562	1278	665,30	744,60	16	2821	1333	844,30	923,50
	20	3581	1786	755,00	837,10	21	3863	1803	937,40	1019,40
163	10	1820	901	644,00	724,10	11	2332	1119	803,50	883,70
	15	2921	1457	726,70	809,70	16	3215	1519	939,50	1022,60
	20	4082	2036	832,40	918,40	21	4403	2055	1049,00	1134,90
<b>L H 074</b>										
063	10	783	390	458,90	525,00	11	996	478	540,00	606,20
	15	1237	622	493,50	562,00	16	1412	665	592,40	660,80
	20	1727	869	528,50	599,00	21	1982	919	619,00	689,50
083	10	1031	514	502,00	572,40	11	1312	630	601,00	671,30
	15	1630	820	546,20	618,90	16	1860	876	669,90	742,60
	20	2275	1144	592,10	667,20	21	2611	1210	706,80	781,90
103	10	1280	638	541,90	616,50	11	1628	782	655,40	730,00
	15	2023	1018	594,90	672,00	16	2309	1087	740,50	817,40
	20	2824	1421	650,20	729,80	21	3240	1502	786,70	866,30
123	10	1528	762	577,20	656,00	11	1944	934	702,00	780,90
	15	2416	1215	639,60	721,50	16	2757	1298	802,00	883,90
	20	3372	1696	703,50	788,10	21	3870	1794	856,90	941,50
143	10	1776	885	653,90	740,60	11	2260	1085	789,90	876,60
	15	2808	1413	724,00	813,40	16	3205	1509	903,10	992,60
	20	3920	1972	816,30	908,80	21	4499	2086	998,60	1091,10
163	10	2025	1009	705,30	796,10	11	2577	1237	864,60	955,50
	15	3201	1610	789,20	883,30	16	3654	1721	1002,00	1096,10
	20	4468	2248	896,80	994,00	21	5128	2377	1113,40	1210,50

MAXW.HHH LLL TT.XXX/WT/70/DBE

WITH DBE						
	Type	Watts	Watts	Watts	€	€
		75/65	55/45	35/30	st. colour	other
11	11	1088	653	272	655,60	708,70
	16	1537	922	384	714,70	769,60
	21	1892	1135	473	739,20	795,80
11	11	1338	803	335	708,80	764,60
	16	1872	1123	468	785,00	842,80
	21	2340	1404	585	819,60	879,40
11	11	1888	1133	472	828,70	887,40
	16	2688	1613	672	930,70	991,40
	21	3268	1961	817	975,00	1037,80
11	11	2138	1283	535	867,50	928,80
	16	3024	1814	756	984,30	1048,10
	21	3716	2230	929	1037,20	1103,40
11	11	2688	1613	672	1010,00	1076,50
	16	3839	2303	960	1149,10	1218,10
	21	4645	2787	1161	1242,20	1313,80
11	11	2939	1763	735	1076,60	1146,00
	16	4175	2505	1044	1240,30	1312,40
	21	5093	3056	1273	1349,60	1424,20
11	11	1201	721	300	694,10	753,60
	16	1723	1034	431	754,00	815,60
	21	2182	1309	546	778,90	842,50
11	11	1487	892	372	751,40	814,50
	16	2117	1270	529	828,90	894,20
	21	2722	1633	681	863,00	930,50
11	11	2074	1244	519	874,40	940,90
	16	2992	1795	748	977,40	1046,40
	21	3742	2245	936	1021,90	1093,10
11	11	2360	1416	590	917,00	987,00
	16	3386	2032	847	1034,50	1107,20
	21	4282	2569	1071	1087,40	1162,80
11	11	2946	1768	737	1068,00	1144,60
	16	4261	2557	1065	1208,90	1288,20
	21	5303	3182	1326	1302,10	1384,10
11	11	3232	1939	808	1139,40	1219,50
	16	4655	2793	1164	1304,30	1387,30
	21	5843	3506	1461	1413,70	1499,70
11	11	1296	778	324	731,40	797,50
	16	1892	1135	473	793,30	861,60
	21	2462	1477	616	819,90	890,50
11	11	1612	967	403	792,20	862,60
	16	2340	1404	585	870,80	943,50
	21	3091	1855	773	907,60	982,80
11	11	2228	1337	557	919,00	993,50
	16	3269	1961	817	1023,20	1100,20
	21	4200	2520	1050	1069,50	1149,10
11	11	2544	1526	636	965,70	1044,50
	16	3717	2230	929	1084,80	1166,70
	21	4830	2898	1208	1139,70	1224,30
11	11	3160	1896	790	1125,70	1212,50
	16	4645	2787	1161	1267,80	1357,40
	21	5939	3563	1485	1363,20	1455,70
11	11	3477	2086	869	1200,30	1291,30
	16	5094	3056	1274	1366,70	1460,80
	21	6568	3941	1642	1478,10	1575,30

EN442 output at 20°C room temperature

Maxi is also available in lengths 183 and 203 cm, see: [www.theradiatorfactory.com](http://www.theradiatorfactory.com)



# MAXI FT - FLOOR MODEL - TOP AND FRONT GRILLE

MAXW.HHH LLL TT.XXX/FT/70

MAXW.HHH LLL TT.XXX/FT/70/DBE

STANDARD						TWIN					WITH DBE					
Type	Watts	Watts	€	€		Type	Watts	Watts	€	€	Type	Watts	Watts	Watts	€	€
	75/65	55/45	st. colour	other			75/65	55/45	st. colour	other		75/65	55/45	35/30	st. colour	other
<b>L H 044</b>																
063	10	511	249	390,50	445,00	11	696	334	471,70	526,20	11	996	598	249	663,00	717,40
	15	790	387	422,70	479,00	16	863	410	521,50	577,90	16	1343	806	336	722,50	778,80
	20	1073	526	456,00	514,20	21	1098	519	546,40	604,60	21	1578	947	395	747,40	805,50
083	10	673	329	425,60	482,60	11	917	439	524,60	581,60	11	1217	730	304	715,80	772,80
	15	1041	510	467,60	526,80	16	1138	541	591,30	650,60	16	1618	971	405	792,30	851,50
	20	1413	692	511,40	572,60	21	1447	684	626,00	687,20	21	1927	1156	482	826,90	888,10
103	10	835	408	457,30	516,90	11	1138	545	570,90	630,60	11	1738	1043	435	834,40	894,20
	15	1292	633	507,40	569,10	16	1412	671	653,00	714,70	16	2372	1423	593	935,80	997,60
	20	1754	859	561,20	625,20	21	1796	849	697,50	761,50	21	2756	1654	689	980,30	1044,30
123	10	998	487	484,40	546,80	11	1359	651	609,20	671,70	11	1959	1175	490	872,80	935,20
	15	1543	756	544,10	608,90	16	1686	802	706,40	771,30	16	2646	1588	662	989,20	1054,00
	20	2095	1026	605,50	672,50	21	2145	1014	758,80	826,00	21	3105	1863	776	1041,60	1108,80
143	10	1160	566	541,50	608,70	11	1580	757	677,50	744,70	11	2480	1488	620	1013,20	1080,40
	15	1793	878	608,60	678,40	16	1960	932	787,50	857,40	16	3400	2040	850	1152,30	1222,10
	20	2435	1193	698,80	771,00	21	2493	1178	881,20	953,30	21	3933	2360	983	1245,90	1318,10
163	10	1322	645	584,30	654,30	11	1801	863	743,70	813,60	11	2701	1621	675	1079,60	1149,50
	15	2044	1001	665,70	738,40	16	2234	1062	878,40	951,20	16	3674	2204	919	1243,40	1316,10
	20	2776	1360	771,30	846,50	21	2842	1343	987,90	1063,00	21	4282	2569	1071	1352,50	1427,70
<b>L H 059</b>																
063	10	637	313	428,70	489,70	11	828	397	509,90	571,00	11	1128	677	282	701,30	762,30
	15	970	479	462,40	525,30	16	1056	500	561,20	624,20	16	1536	922	384	762,00	825,10
	20	1314	649	495,50	560,60	21	1377	647	586,00	651,10	21	1857	1114	464	786,90	852,00
083	10	840	413	467,80	532,10	11	1091	523	566,80	631,20	11	1391	835	348	758,10	822,50
	15	1278	632	511,00	577,70	16	1391	659	634,70	701,40	16	1871	1123	468	835,70	902,40
	20	1731	855	554,10	623,10	21	1814	852	669,00	737,80	21	2294	1376	574	869,90	938,70
103	10	1042	512	502,80	570,60	11	1354	649	616,50	684,10	11	1954	1172	489	879,90	947,50
	15	1586	784	554,80	624,60	16	1726	818	700,20	770,20	16	2686	1612	672	983,10	1053,10
	20	2148	1061	608,30	680,60	21	2251	1057	744,80	817,10	21	3211	1927	803	1027,40	1099,90
123	10	1244	611	533,50	604,50	11	1617	775	658,50	729,40	11	2217	1330	554	921,90	992,90
	15	1894	936	594,60	668,30	16	2061	977	756,90	830,80	16	3021	1813	755	1039,80	1113,60
	20	2565	1267	656,90	733,40	21	2688	1262	810,20	886,70	21	3648	2189	912	1093,00	1169,60
143	10	1446	711	599,80	676,90	11	1880	901	735,70	812,90	11	2780	1668	695	1071,60	1148,80
	15	2202	1088	668,60	748,80	16	2396	1135	847,60	927,70	16	3836	2302	959	1212,20	1292,40
	20	2982	1474	759,00	841,90	21	3125	1467	941,50	1024,40	21	4565	2739	1141	1306,20	1389,00
163	10	1649	810	646,30	726,90	11	2143	1027	805,80	886,40	11	3043	1826	761	1141,70	1222,20
	15	2509	1240	729,00	812,40	16	2731	1294	941,90	1025,30	16	4171	2503	1043	1306,60	1390,10
	20	3399	1680	834,80	921,20	21	3562	1672	1051,30	1137,70	21	5002	3001	1251	1416,00	1502,40
<b>L H 074</b>																
063	10	732	362	466,20	533,90	11	935	449	547,40	615,10	11	1235	741	309	738,80	806,40
	15	1097	547	500,70	570,70	16	1224	578	599,70	669,50	16	1704	1022	426	800,50	870,30
	20	1484	740	535,60	607,70	21	1637	764	626,10	698,30	21	2117	1270	529	827,10	899,20
083	10	965	478	509,00	580,80	11	1231	591	608,10	679,80	11	1531	919	383	799,40	871,10
	15	1446	721	553,00	627,10	16	1613	762	676,70	750,90	16	2093	1256	523	877,60	951,80
	20	1955	975	598,30	674,80	21	2157	1007	713,10	789,60	21	2637	1582	659	913,90	990,50
103	10	1197	592	547,40	623,10	11	1528	733	661,10	736,60	11	2128	1277	532	924,50	1000,10
	15	1794	895	601,30	679,70	16	2002	946	746,90	825,10	16	2962	1777	741	1029,60	1107,90
	20	2427	1210	656,50	737,30	21	2676	1249	792,90	873,80	21	3636	2182	909	1075,70	1156,60
123	10	1429	707	581,90	661,70	11	1825	876	706,90	786,70	11	2425	1455	606	970,40	1050,20
	15	2143	1069	644,50	727,40	16	2390	1129	807,00	889,90	16	3350	2010	838	1089,80	1172,50
	20	2898	1445	707,90	793,50	21	3196	1491	861,30	946,80	21	4156	2494	1039	1144,10	1229,60
143	10	1662	823	657,00	744,00	11	2121	1018	793,10	880,10	11	3021	1813	755	1128,80	1215,90
	15	2491	1242	727,30	817,50	16	2779	1313	906,50	996,70	16	4219	2531	1055	1271,30	1361,50
	20	3369	1680	819,80	913,10	21	3716	1734	1002,20	1095,40	21	5156	3094	1289	1366,70	1460,00
163	10	1894	937	707,20	798,40	11	2418	1161	866,60	957,80	11	3318	1991	830	1202,30	1293,60
	15	2839	1416	791,80	886,30	16	3168	1497	1004,70	1099,20	16	4608	2765	1152	1369,30	1463,80
	20	3840	1915	899,90	997,50	21	4235	1976	1116,40	1214,10	21	5675	3405	1419	1481,20	1578,80

EN442 output at 20°C room temperature

Maxi is also available in lengths 183 and 203 cm, see: [www.radiatorfactory.com](http://www.radiatorfactory.com)



# FLOOR MODEL - 2 FRONT GRILLS - MAXI FF




MAXW.HHH LLL TT.XXX/FF/70

MAXW.HHH LLL TT.XXX/FF/70/DBE

STANDARD						TWIN						WITH DBE					
Type	Watts 75/65	Watts 55/45	€ st. colour	€ other		Type	Watts 75/65	Watts 55/45	€ st. colour	€ other		Type	Watts 75/65	Watts 55/45	Watts 35/30	€ st. colour	€ other
<b>L H 044</b>																	
063	10	271	132	419,60	480,00	---	---	---	---	---	---	10	421	253	105	611,00	671,20
	15	400	195	454,30	516,90	---	---	---	---	---	---	15	650	390	163	655,20	717,90
	20	513	250	490,00	555,00	---	---	---	---	---	---	20	763	458	191	690,90	756,00
083	10	356	173	454,70	517,70	---	---	---	---	---	---	10	506	304	127	646,00	708,90
	15	527	257	499,20	564,60	---	---	---	---	---	---	15	777	466	194	700,10	765,50
	20	676	329	546,00	614,10	---	---	---	---	---	---	20	926	556	232	746,90	815,00
103	10	442	215	485,90	551,40	---	---	---	---	---	---	10	742	445	186	749,40	814,80
	15	654	318	539,90	608,40	---	---	---	---	---	---	15	1154	692	289	822,90	891,20
	20	839	408	597,30	668,50	---	---	---	---	---	---	20	1339	803	335	880,10	951,30
123	10	528	256	513,20	581,40	---	---	---	---	---	---	10	828	497	207	776,70	844,80
	15	780	380	576,10	647,40	---	---	---	---	---	---	15	1280	768	320	859,10	930,30
	20	1002	488	641,20	715,60	---	---	---	---	---	---	20	1502	901	376	924,00	998,20
143	10	614	298	571,10	644,30	---	---	---	---	---	---	10	1064	638	266	906,90	980,10
	15	907	442	643,30	720,10	---	---	---	---	---	---	15	1657	994	414	1008,10	1084,80
	20	1164	567	738,60	818,70	---	---	---	---	---	---	20	1914	1148	479	1103,30	1183,40
163	10	700	340	613,90	689,90	---	---	---	---	---	---	10	1150	690	288	949,90	1025,70
	15	1034	503	700,80	780,40	---	---	---	---	---	---	15	1784	1070	446	1065,50	1145,10
	20	1327	646	811,90	895,20	---	---	---	---	---	---	20	2077	1246	519	1176,50	1259,90
<b>L H 059</b>																	
063	10	470	230	458,20	525,00	11	654	313	539,40	606,30	11	954	572	239	730,70	797,60	
	15	682	335	493,90	563,40	16	755	359	592,80	662,20	16	1235	741	309	793,60	863,10	
	20	870	427	529,50	601,30	21	897	423	620,00	691,80	21	1377	826	344	820,80	892,80	
083	10	619	303	496,40	566,80	11	862	413	595,50	665,80	11	1162	697	291	786,90	857,20	
	15	899	442	542,60	615,70	16	995	473	666,40	739,40	16	1475	885	369	867,50	940,50	
	20	1147	564	589,30	665,20	21	1182	557	704,00	779,90	21	1662	997	416	905,00	980,80	
103	10	768	376	531,70	605,30	11	1069	512	645,30	718,80	11	1669	1001	417	908,80	982,30	
	15	1115	548	587,00	663,40	16	1235	587	732,40	808,90	16	2195	1317	549	1015,20	1091,80	
	20	1423	699	644,30	723,90	21	1467	692	780,80	860,40	21	2427	1456	607	1063,70	1143,30	
123	10	918	449	562,70	639,60	11	1277	612	687,60	764,50	11	1877	1126	469	951,10	1028,00	
	15	1332	654	626,30	706,40	16	1475	701	788,80	868,90	16	2435	1461	609	1071,60	1151,70	
	20	1699	835	691,50	774,90	21	1751	826	844,80	928,30	21	2711	1627	678	1127,70	1211,10	
143	10	1067	522	629,90	713,10	11	1484	711	765,80	849,00	11	2384	1430	596	1101,70	1184,90	
	15	1549	761	703,30	790,10	16	1714	814	882,20	969,20	16	3154	1892	789	1246,90	1333,80	
	20	1976	971	798,40	889,10	21	2036	960	980,90	1071,60	21	3476	2086	869	1345,60	1436,30	
163	10	1216	595	676,50	763,10	11	1692	811	836,00	922,60	11	2592	1555	648	1171,80	1258,60	
	15	1765	867	764,30	854,90	16	1954	928	977,10	1067,70	16	3394	2036	849	1342,00	1432,50	
	20	2252	1107	875,20	969,70	21	2321	1094	1091,80	1186,20	21	3761	2257	940	1456,40	1550,90	
<b>L H 074</b>																	
063	10	607	299	495,50	569,00	11	796	382	576,70	650,20	11	1096	658	274	768,00	841,50	
	15	867	430	533,20	609,50	16	944	447	632,10	708,30	16	1424	854	356	833,00	909,30	
	20	1104	547	570,20	649,00	21	1150	539	660,70	739,50	21	1630	978	408	861,60	940,50	
083	10	800	394	537,60	615,00	11	1049	503	636,60	714,00	11	1349	809	337	827,90	905,30	
	15	1143	567	585,20	665,70	16	1244	589	709,00	789,40	16	1724	1034	431	909,90	990,30	
	20	1454	721	634,10	717,80	21	1515	710	748,80	832,50	21	1995	1197	499	949,70	1033,40	
103	10	993	489	576,20	657,70	11	1302	625	689,90	771,30	11	1902	1141	476	953,40	1034,90	
	15	1418	703	633,50	718,30	16	1544	731	778,90	863,70	16	2504	1502	626	1061,70	1146,50	
	20	1804	894	692,40	780,50	21	1880	881	828,90	917,00	21	2840	1704	710	1111,70	1199,80	
123	10	1185	584	610,80	696,40	11	1555	746	735,70	821,20	11	2155	1293	539	999,30	1084,80	
	15	1693	839	676,30	765,30	16	1844	873	838,60	927,80	16	2804	1682	701	1121,40	1210,50	
	20	2155	1068	742,90	835,40	21	2245	1052	896,20	988,70	21	3205	1923	801	1179,00	1271,50	
143	10	1378	679	687,20	780,40	11	1807	867	823,20	916,40	11	2707	1624	677	1158,90	1252,20	
	15	1969	976	762,30	859,50	16	2144	1015	941,40	1038,70	16	3584	2150	896	1306,10	1403,50	
	20	2505	1242	859,60	961,00	21	2610	1223	1042,00	1143,10	21	4050	2430	1013	1406,70	1507,80	
163	10	1571	774	737,40	834,80	11	2060	988	896,80	994,10	11	2960	1776	740	1232,60	1329,90	
	15	2244	1112	826,80	928,30	16	2443	1156	1039,70	1141,20	16	3883	2330	971	1404,30	1505,80	
	20	2855	1415	940,10	1045,80	21	2976	1394	1156,80	1262,40	21	4416	2650	1104	1521,40	1627,10	

Maxi is also available in lengths 183 and 203 cm, see: [www.theradiatorfactory.com](http://www.theradiatorfactory.com)

EN442 output at 20°C room temperature



Jaga International  
Verbindingslaan z/n  
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 16  
Fax: +32 (0)11 29 41 60  
export@jaga.be

The information in this price list is correct at the time of printing.  
Jaga reserves the right to change product specification at any time in line  
with our policy of continuous improvement and innovation.  
All prices in Euro, exclude VAT. Prices valid from 1st August 2016.  
Replaces all existing price lists.