



jaga



Energy
SAVERS
LOW-H₂O
PLAY

€ 2016-2017.EX



Energy
SAVERS
LOW-H₂O

PLAY

Playful warmth, colourful comfort

- Completely pre-assembled and mounted casing, consisting of painted MDF panels with aluminium spacer rings.
- Standard pencil-proof grille, to prevent small objects or waste falling into the casing.
- Optional protective base grille.
- Integrated valve with thermostat in the front panel.
- Connections can be completely concealed within the casing.
- Low-H₂O technology with super conductive and ultra fast heat exchanger for low energy consumption and maximum heat emission.
- Twin Power for better compensation of the downward cold air flow next to glazed façades or ventilation grilles.
- DBE model for super-low water temperatures from 28°C.
- Safe surface temperature.
- **A 30 year guarantee** on the heat exchanger.



PLAY PIANO






PLAY

PLAY



DIMENSIONS (in cm)



DELIVERY

Delivered in a cardboard box, which can also be used as protection on site after installation. standard delivery:

- Low-H₂O heat exchanger with wall brackets and fixing kit, air vent 1/8" and drain plug 1/2"
- one piece casing, completely mounted, consisting of lacquered MDF panels with anodised aluminium spacer rings
- premounted and integrated control in the front panel in the top right hand corner, included valve and sleeve couplings for connection to the wall or to the floor
- pencil-proof grille

Delivery with DBE:

- number of DBE unit(s) varies according to the length
- operation, control and power supply 12 VDC
- mounting instructions
- packed with the radiator

COLOURS

Scratch resistant polyurethane finish with a soft structured mat surface. High UV resistance.

Category 1



WHI Play White

Category 2




BLA Play Black **PIA** Play Piano

BOY Play4Boy **GIR** Play4Girl

ORDERING CODE


Connection to the wall within the casing

code height length type colour conn.
PLAW. 035 060 10 .XXX /WR /TIB /...




Connection to the wall via bottom of the casing

code height length type colour conn.
PLAW. 035 060 10 .XXX /WR /TPB /...



Connection to the floor

code height length type colour conn.
PLAW. 035 060 10 .XXX /FR /TPB /...



ORDERING CODE WITH DBE

PLAW. 035 060 10. XXX /XX /XXX /... Option /DBE

DBE should be selected according to the power in comfort mode, as stated in the price and output table. The transition between standby (inactive) and comfort is managed automatically depending on the measured temperature and settings. For boost mode: see www.theradiatorfactory.com

CREATE YOUR OWN COLOURS OR CREATE YOUR OWN PRINT

Design your own colour combination or print on the front panel. For more info go to: export@jaga.be

BASE GRILLE

Screens the bottom of the casing. Colour black (RAL 9005)

	code	length	type	model
ORDERING CODE	5641.000	060	10	/PLA
L	Type 10/11	15/16	20/21	€
060	28,10	31,00	32,10	
080	29,60	33,30	34,80	
100	31,40	36,10	37,80	
120	34,30	39,50	44,30	



PLAW.HHH LLL TT.XXX/XX/XXX/...

PLAW.HHH LLL TT.XXX/XX/XXX/.../DBE

STANDARD**TWIN****WITH DBE**

Type	Watts 75/65	Watts 55/45	€ cat. 1	€ cat. 2
------	----------------	----------------	-------------	-------------

Type	Watts 75/65	Watts 55/45	€ cat. 1	€ cat. 2
------	----------------	----------------	-------------	-------------

Type	Watts 75/65	Watts 55/45	Watts 35/30	€ cat. 1	€ cat. 2
------	----------------	----------------	----------------	-------------	-------------

L H 035					
060	10	529	262	720,60	920,30
	15	805	400	805,50	1049,70
	20	1104	551	884,30	1167,30
080	10	705	349	774,80	1018,20
	15	1074	533	865,90	1157,00
	20	1472	735	959,40	1302,10
100	10	881	436	817,40	1100,40
	15	1342	667	920,60	1264,00
	20	1840	919	1025,10	1421,60
120	10	1057	523	861,80	1190,40
	15	1610	800	978,70	1369,70
	20	2208	1102	1097,20	1554,70

11	583	279	797,50	997,20
16	870	413	897,80	1142,00
21	1217	573	967,80	1250,80
11	777	372	868,00	1111,40
16	1160	551	981,40	1272,50
21	1622	763	1065,90	1408,60
11	971	465	921,00	1204,00
16	1450	688	1052,70	1396,10
21	2028	954	1147,50	1544,00
11	1165	558	980,90	1309,50
16	1740	826	1131,90	1522,90
21	2434	1145	1242,10	1699,60

---	---	---	---	---	---
---	---	---	---	---	---
---	---	---	---	---	---
11	1077	646	269	1059,30	1302,70
16	1640	984	410	1182,30	1473,40
21	2102	1261	526	1266,80	1609,50
11	1271	763	318	1112,30	1395,30
16	1930	1158	483	1253,60	1597,00
21	2508	1505	627	1348,40	1744,90
11	1765	1059	441	1244,60	1573,20
16	2700	1620	675	1414,80	1805,80
21	3394	2036	849	1525,00	1982,50

L H 050					
060	10	591	290	761,90	1021,80
	15	925	456	848,00	1158,30
	20	1284	637	934,80	1300,00
080	10	788	386	818,60	1128,50
	15	1234	609	917,70	1292,00
	20	1712	849	1018,90	1450,60
100	10	985	483	865,20	1227,90
	15	1542	760	976,60	1406,40
	20	2140	1062	1088,70	1583,30
120	10	1182	579	913,30	1329,10
	15	1850	912	1038,10	1529,80
	20	2568	1274	1164,20	1729,50

11	685	327	839,00	1098,90
16	1040	493	940,20	1250,50
21	1461	689	1018,00	1383,20
11	913	436	911,60	1221,50
16	1386	657	1033,20	1407,50
21	1948	919	1125,20	1556,90
11	1141	544	968,60	1331,30
16	1733	822	1108,60	1538,40
21	2435	1149	1211,10	1705,70
11	1369	653	1032,60	1448,40
16	2080	987	1191,20	1682,90
21	2922	1378	1309,30	1874,60

---	---	---	---	---	---
---	---	---	---	---	---
---	---	---	---	---	---
11	1213	728	303	1102,90	1412,80
16	1866	1120	467	1234,10	1608,40
21	2428	1457	607	1326,10	1757,80
11	1441	865	360	1159,90	1522,60
16	2213	1328	553	1309,50	1739,30
21	2915	1749	729	1412,00	1906,60
11	1969	1181	492	1296,30	1712,10
16	3040	1824	760	1474,10	1965,80
21	3882	2329	971	1592,20	2157,50


L H 065					
060	10	653	317	813,50	1131,10
	15	1040	509	906,80	1290,00
	20	1454	717	1000,90	1442,50
080	10	870	423	866,80	1248,30
	15	1386	679	973,10	1424,40
	20	1938	956	1082,00	1601,10
100	10	1088	529	912,50	1357,30
	15	1733	849	1031,00	1549,00
	20	2423	1195	1150,70	1745,30
120	10	1306	635	964,10	1470,10
	15	2080	1018	1096,40	1684,90
	20	2908	1434	1229,80	1904,60

11	778	369	890,50	1208,10
16	1187	562	999,10	1382,30
21	1663	786	1084,40	1526,00
11	1037	492	959,90	1341,40
16	1582	750	1088,60	1539,90
21	2218	1049	1188,30	1707,40
11	1296	615	1016,10	1460,90
16	1978	937	1163,20	1681,20
21	2772	1311	1273,10	1867,70
11	1555	738	1083,50	1589,50
16	2374	1125	1249,60	1838,10
21	3326	1573	1374,90	2049,70

---	---	---	---	---	---
---	---	---	---	---	---
---	---	---	---	---	---
11	1337	802	334	1151,20	1532,70
16	2062	1237	516	1289,50	1740,80
21	2698	1619	675	1389,20	1908,30
11	1596	958	399	1207,40	1652,20
16	2458	1475	615	1364,10	1882,10
21	3252	1951	813	1474,00	2068,60
11	2155	1293	539	1347,20	1853,20
16	3334	2000	834	1532,50	2121,00
21	4286	2572	1072	1657,80	2332,60

EN442 output at 20°C room temperature





Jaga International
Verbindingslaan z/n
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 16
Fax: +32 (0)11 29 41 60
export@jaga.be

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in Euro, exclude VAT. Prices valid from 1st August 2016.
Replaces all existing price lists.