



**jaga**


**ORECA**

INSPIRED  
BY  **jaga**


**CROSSROADS & MOON € 2015.EX**


# CROSSROADS MOON

CROSSROADS stainless steel version



MOON white 9016





ORECA DESIGN




# MOON

code height length colour  
**MOOW . 196 050 . XXXX**  
*fill in colour code*

	Watts	Watts	€	€
	75/65	55/45	st. colour	other
<b>L</b>	<b>H 196</b>			
<b>050</b>	896	485	<b>2876,50</b>	<b>3106,80</b>

EN442 output at 20°C room temperature

## DIMENSIONS (in cm)




## DELIVERY

- wall mounted radiator from mineral composite, with scratch resistant lacquer finish
- central connection MM underneath
- wall fixing
- installation template

## COLOURS

Standard colours




**9016** white RAL 9016




**9005** black RAL 9005



**3304** brown RAL 330-4



**140M** white gold RAL 140-M




**260M** yellow gold RAL 260-M

Other colours: RAL range on demand.

## CONNECTION

Provide an air vent on the central heating pipework above the radiator.

Standard connection:  
 central connection code MM.  
 The Moon is symmetrical and can be mounted either way up.  
 One pipe connection:  
 connection sets 41, 42, 48 or 49.  
 Max. 2 radiators per heating ring.



## CONNECTION SETS

### Connection set to the wall Deco Pro

TRV head and sleeve couplings included.



set  
41

To the wall

€



CODE.PW3.DC.1...

**151,10**

*fill in sleeve coupling code*

- Precision metal tube 15/1 **115**
- Precision metal tube 16/1 **116**
- Precision metal tube 18/1 **118**
- RPE/ALU tube 16/2 **316**
- RPE/ALU tube 18/2 **318**

### Other connection sets and sleeve couplings


See chapter "Connection sets and valves" for all connection options and technical information.





# CROSSROADS

## DIMENSIONS (in cm)



### STAINLESS STEEL

code	height	length	colour	conn.
<b>CROW . 200 060 . 012 /MM</b>				
	Watts	Watts		€
	75/65	55/45		
<b>L</b>	<b>H 200</b>			
<b>060</b>				<b>3887,40</b>

### LACQUERED

code	height	length	colour	conn.
<b>CROW . 200 060 . XXX /MM</b>				
	Watts	Watts	€	€
	75/65	55/45	st. colour	other
<b>L</b>	<b>H 200</b>			
<b>060</b>	989	528	<b>1880,90</b>	<b>2257,10</b>

EN442 output at 20°C room temperature

## DELIVERY

- central connection MM underneath
- wall fixing
- chrome-plated air vent G1/8"

## COLOURS

**Stainless steel version**  
in brushed stainless steel.

### Lacquered finish:

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- pearl black (018), fine texture metallic
- pearl brown (017), fine texture metallic
- traffic white RAL 9016 (133), smooth satin matt
- sandblast grey (001), fine texture metallic

Other colours:

- soft touch, fine structured, satin look
- fine texture
- fine texture metallic

See colour chart.

## CONNECTION

Standard connection:  
central connection (code MM).

One pipe connection:

connection sets 41, 42, 48 or 49.

Max. 2 radiators per heating ring.



## CONNECTION SETS

### Connection set to the wall Deco Pro

TRV head and sleeve couplings included.

**set 41** To the wall €

CODE.PW3.DC.1... 151,10

fill in sleeve coupling code

### Connection set to the wall Deco Pro Cube


Manual head and sleeve couplings included

**set 50** To the wall €

Chrome	CODE.PW2.MC.1...	172,40
Brushed stainless steel	CODE.PW2.MS.1...	227,60
fill in sleeve coupling code		
Precision metal tube 15/1		115
Precision metal tube 16/1		116
Precision metal tube 18/1		118
RPE/ALU tube 16/2		316
RPE/ALU tube 18/2		318


### Other connection sets and sleeve couplings

See chapter "Connection sets and valves" for all connection options and technical information.



Stainless steel version





Jaga International  
Verbindingslaan z/n  
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 16  
Fax: +32 (0)11 29 41 60  
export@jaga.be

The information in this price list is correct at the time of printing.  
Jaga reserves the right to change product specification at any time in line  
with our policy of continuous improvement and innovation.  
All prices in Euro, exclude VAT. Prices valid from 1st February 2014.  
Replaces all existing price lists.