



**jaga**

**TECHNICAL INFORMATION**

€ 2016-2017.EX





**TECHNICAL INFORMATION**

# EYECATCHERS - CORRECTION FACTORS

TOWEL RADIATORS: ACCOLADE - SANI RONDA - NAUTICA - ARISTOCRAT - SANI PANEL - SANI LOUVRE - SANI BASIC - SANI BOW

## AVERAGE CORRECTION FACTORS ACCORDING TO EN442 - 75/65/20°C

Tv	Tl	Tr	25	30	35	40	45	50	55	60	65	70	75	80	85
90	18		0.49	0.61	0.72	0.81	0.90	0.98	1.06	1.14	1.21	1.30	1.36	1.43	1.49
	20		0.42	0.55	0.66	0.76	0.85	0.93	1.01	1.09	1.16	1.25	1.31	1.38	1.44
	22		0.34	0.49	0.61	0.71	0.80	0.88	0.96	1.04	1.11	1.20	1.26	1.33	1.39
	24		0.24	0.43	0.55	0.65	0.75	0.83	0.91	0.99	1.06	1.13	1.21	1.27	1.34
85	18		0.46	0.58	0.68	0.77	0.86	0.94	1.01	1.09	1.17	1.24	1.30	1.36	
	20		0.40	0.52	0.63	0.72	0.81	0.89	0.96	1.04	1.11	1.19	1.25	1.31	
	22		0.32	0.46	0.57	0.67	0.75	0.84	0.91	0.99	1.06	1.14	1.20	1.26	
	24		0.22	0.40	0.52	0.62	0.70	0.79	0.86	0.94	1.01	1.09	1.15	1.21	
80	18		0.43	0.55	0.64	0.73	0.81	0.89	0.96	1.03	1.11	1.17	1.24		
	20		0.37	0.49	0.59	0.68	0.76	0.84	0.91	0.98	1.06	1.12	1.19		
	22		0.30	0.43	0.54	0.63	0.71	0.79	0.86	0.93	1.01	1.07	1.14		
	24		0.21	0.38	0.49	0.58	0.66	0.74	0.81	0.89	0.96	1.02	1.09		
75	18		0.41	0.51	0.60	0.69	0.77	0.84	0.91	0.99	1.05	1.11			
	20		0.34	0.46	0.55	0.64	0.72	0.79	0.86	0.94	1.00	1.06			
	22		0.28	0.40	0.50	0.59	0.67	0.74	0.81	0.89	0.95	1.01			
	24		0.19	0.35	0.45	0.54	0.62	0.70	0.77	0.84	0.90	0.96			
70	18		0.38	0.48	0.56	0.64	0.72	0.79	0.87	0.93	0.99				
	20		0.32	0.43	0.52	0.60	0.67	0.74	0.82	0.88	0.94				
	22		0.25	0.37	0.47	0.55	0.62	0.69	0.76	0.83	0.89				
	24		0.17	0.32	0.42	0.50	0.58	0.65	0.72	0.78	0.84				
65	18		0.35	0.44	0.53	0.60	0.67	0.74	0.81	0.87					
	20		0.29	0.39	0.48	0.55	0.63	0.69	0.76	0.82					
	22		0.23	0.34	0.43	0.51	0.58	0.65	0.72	0.77					
	24		0.15	0.29	0.38	0.46	0.53	0.60	0.67	0.73					
60	18		0.32	0.41	0.49	0.56	0.62	0.69	0.75						
	20		0.26	0.36	0.44	0.51	0.58	0.65	0.70						
	22		0.21	0.31	0.39	0.47	0.53	0.60	0.66						
	24		0.14	0.26	0.35	0.42	0.49	0.56	0.61						
55	18		0.29	0.37	0.44	0.51	0.58	0.64							
	20		0.24	0.33	0.40	0.47	0.54	0.59							
	22		0.18	0.28	0.36	0.42	0.49	0.55							
	24		0.12	0.23	0.31	0.38	0.44	0.50							
50	18		0.26	0.33	0.40	0.46	0.53								
	20		0.21	0.29	0.36	0.42	0.48								
	22		0.16	0.25	0.32	0.38	0.44								
	24		0.10	0.20	0.28	0.34	0.40								
45	18		0.23	0.30	0.36	0.42									
	20		0.18	0.26	0.32	0.38									
	22		0.14	0.22	0.28	0.34									
	24		0.08	0.17	0.24	0.30									
40	18		0.20	0.26	0.32										
	20		0.15	0.22	0.28										
	22		0.11	0.18	0.24										
	24		0.07	0.14	0.20										
35	18		0.16	0.22											
	20		0.13	0.18											
	22		0.09	0.15											
	24		0.05	0.11											
30	18		0.13												
	20		0.09												
	22		0.06												
	24		0.03												

The indicated outputs with  $\Delta T$  50 and  $\Delta T$  60 are the exact outputs.  $\Delta T$  50 output measured in accordance with EN 442 and  $\Delta T$  60 output calculated according to EN 442. An average correction factor is given in this table for all other  $\Delta T$  outputs, applicable for all dimensions.

# CORRECTION FACTORS - EYECATCHERS

DECO RADIATORS: TWINE - PINCH - PANEL PLUS - DECO PANEL - GEO - DECO SPACE - IGUANA - HEATWAVE- TETRA - CROSSROADS - MOON


## AVERAGE CORRECTION FACTORS ACCORDING TO EN442 - 75/65/20°C

Tv	Tl	Tr	25	30	35	40	45	50	55	60	65	70	75	80	85
90	18		0.47	0.59	0.70	0.80	0.89	0.98	1.07	1.15	1.23	1.32	1.39	1.46	1.53
	20		0.40	0.53	0.65	0.75	0.84	0.93	1.01	1.09	1.17	1.27	1.34	1.41	1.48
	22		0.32	0.47	0.59	0.69	0.79	0.87	0.96	1.04	1.12	1.21	1.28	1.35	1.42
	24		0.22	0.41	0.53	0.64	0.73	0.82	0.91	0.99	1.07	1.14	1.23	1.29	1.36
85	18		0.44	0.56	0.66	0.76	0.85	0.93	1.01	1.09	1.19	1.25	1.32	1.39	
	20		0.37	0.50	0.61	0.70	0.79	0.88	0.96	1.04	1.12	1.20	1.27	1.34	
	22		0.30	0.44	0.55	0.65	0.74	0.83	0.91	0.99	1.06	1.15	1.21	1.28	
	24		0.20	0.38	0.50	0.60	0.69	0.77	0.85	0.93	1.01	1.09	1.16	1.23	
80	18		0.41	0.52	0.62	0.71	0.80	0.88	0.96	1.04	1.12	1.19	1.25		
	20		0.35	0.47	0.57	0.66	0.75	0.83	0.91	0.98	1.07	1.13	1.20		
	22		0.28	0.41	0.52	0.61	0.70	0.78	0.86	0.93	1.01	1.08	1.15		
	24		0.19	0.35	0.46	0.56	0.64	0.73	0.80	0.88	0.96	1.03	1.09		
75	18		0.38	0.49	0.58	0.67	0.75	0.83	0.90	0.99	1.05	1.12			
	20		0.32	0.44	0.53	0.62	0.70	0.78	0.85	0.94	1.00	1.07			
	22		0.25	0.38	0.48	0.57	0.65	0.73	0.80	0.88	0.95	1.01			
	24		0.17	0.32	0.43	0.52	0.60	0.68	0.75	0.83	0.90	0.96			
70	18		0.35	0.45	0.54	0.63	0.70	0.78	0.86	0.92	0.99				
	20		0.29	0.40	0.49	0.58	0.65	0.73	0.81	0.87	0.94				
	22		0.23	0.35	0.44	0.53	0.61	0.68	0.75	0.82	0.88				
	24		0.15	0.30	0.39	0.48	0.56	0.63	0.70	0.77	0.83				
65	18		0.32	0.42	0.50	0.58	0.65	0.72	0.80	0.86					
	20		0.27	0.37	0.46	0.53	0.61	0.68	0.75	0.81					
	22		0.21	0.32	0.41	0.49	0.56	0.63	0.70	0.76					
	24		0.14	0.27	0.36	0.44	0.51	0.58	0.65	0.71					
60	18		0.29	0.38	0.46	0.54	0.60	0.68	0.74						
	20		0.24	0.34	0.42	0.49	0.56	0.63	0.69						
	22		0.19	0.29	0.37	0.44	0.51	0.58	0.64						
	24		0.12	0.24	0.33	0.40	0.47	0.54	0.59						
55	18		0.27	0.35	0.42	0.49	0.56	0.62							
	20		0.22	0.30	0.38	0.44	0.51	0.57							
	22		0.17	0.26	0.33	0.40	0.46	0.53							
	24		0.10	0.21	0.29	0.36	0.42	0.48							
50	18		0.24	0.31	0.38	0.44	0.50								
	20		0.19	0.27	0.34	0.40	0.46								
	22		0.14	0.23	0.30	0.36	0.42								
	24		0.09	0.18	0.25	0.32	0.37								
45	18		0.21	0.27	0.34	0.40									
	20		0.16	0.23	0.30	0.35									
	22		0.12	0.19	0.26	0.31									
	24		0.07	0.16	0.22	0.27									
40	18		0.18	0.24	0.29										
	20		0.14	0.20	0.26										
	22		0.10	0.16	0.22										
	24		0.06	0.13	0.18										
35	18		0.14	0.20											
	20		0.11	0.16											
	22		0.08	0.13											
	24		0.04	0.10											
30	18		0.11												
	20		0.08												
	22		0.05												
	24		0.02												


The indicated outputs with  $\Delta T 50$  and  $\Delta T 60$  are the exact outputs.  $\Delta T 50$  output measured in accordance with EN 442 and  $\Delta T 60$  output calculated according to EN 442. An average correction factor is given in this table for all other  $\Delta T$  outputs, applicable for all dimensions.

# EYECATCHERS - PRESSURE DROP


## HEATWAVE




## IGUANA APLANO IGUANA APLANO PLUS




## IGUANA ANGULA IGUANA ANGULA PLUS




## IGUANA ARCO / VISIO IGUANA ARCO / VISIO PLUS




## IGUANA CIRCO WALL/PILLAR COVER & FREESTANDING




## IGUANA CORNER IGUANA CORNER PLUS




## TWINE / PINCH



## TETRA




## DECO SPACE DECO PANEL




# PRESSURE DROP ■ EYECATCHERS


## PANEL PLUS




## GEO




## CROSSROADS




## MOON




## ACCOLADE SANI ACCOLADE DECO




## SANI RONDA SANI PANEL - SANI LOUVRE




## ARISTOCRAT NAUTICA



## SANI BOW SANI BASIC



## VERTIGA







# WATER CONTENT IN LITRES - EYECATCHERS

TWINE					
L	H	050	090	180	200
033	--	--	--	16.6	18.4
045	6.3	11.3	--	22.6	25.1
057	--	--	--	28.6	31.8
063	--	15.8	--	31.6	35.1
069	--	--	--	34.6	38.5
081	11.3	20.3	--	40.7	45.2
099	13.8	24.9	--	--	--
117	16.3	29.4	--	--	--
135	18.8	--	--	--	--

PINCH					
L	H	050	090	180	200
033	--	--	--	26.3	29.4
045	7.3	14.8	--	31.6	35.3
057	--	--	--	42.1	47.1
063	--	22.2	--	47.4	52.9
069	--	--	--	52.6	58.8
081	14.7	29.5	--	63.1	70.6
099	18.3	36.9	--	--	--
117	22.0	44.3	--	--	--
135	25.60	--	--	--	--

PANEL PLUS HORIZONTAL - litre/cm			
H	P11	P22	P34
012	0.014	0.021	0.034
018	0.021	0.032	0.052
024	0.024	0.044	0.051
031	0.030	0.055	0.064
037	0.036	0.066	--
043	0.042	0.078	--
050	0.048	0.089	--
056	0.054	0.100	--
062	0.060	0.111	--
069	0.066	0.122	--
075	0.072	0.133	--
081	0.078	0.145	--
087	0.084	0.156	--
094	0.090	0.167	--

DECO PANEL HORIZONTAL - litre/cm							
	H 28	34	40	53	66	78	
SINGLE	0.021	0.027	0.032	0.042	0.053	0.063	
DOuble	0.042	0.053	0.063	0.083	0.104	0.125	

GEO HORIZONTAL		
L	H	060
100	4.4	
120	4.8	
140	5.2	
160	5.6	
180	6.0	

IGUANA CIRCO FREESTANDING					
IGUANA CIRCO PILLAR COVER					
L	H	180	192	200	220 240
027	19.2	20.4	21.2	23.4	25.6
031	22.6	24.2	25.2	27.6	30.2
034	26.2	27.8	29.0	32.0	34.8

HEATWAVE				
Model	OS	OM	OL	XL
	0.40	0.78	1.57	2.36

VERTIGA						
	T 08			T 12		
L	H	041	052	065	053	070 080
Primo	1.4	1.4	1.4	1.4	2.4	2.4
Glow	1.4	1.4	1.4	2.4	2.4	2.4
Dunes	1.4	1.4	1.4	2.4	2.4	w2.4
Kirei	1.4	1.4	1.4	2.4	2.4	2.4

IGUANA CIRCO WALL					
L	H	180	192	200	220 240
027	9.6	10.2	10.6	11.7	12.8
031	11.3	12.1	12.6	13.8	15.1
034	13.1	13.9	14.5	16.0	17.4

IGUANA APLANO					
L	H	180	192	200	220 240
030	9.6	10.2	10.6	11.7	12.8
041	13.1	13.9	14.5	16.0	17.4
052	16.6	17.7	18.4	20.2	22.1
063	20.0	21.4	22.3	24.5	26.7
074	23.5	25.1	26.1	28.8	31.4
085	27.0	28.8	30.0	33.0	36.0

IGUANA ARCO					
L	H	180	192	200	220 240
029	9.6	10.2	10.6	11.7	12.8
041	13.1	13.9	14.5	16.0	17.4
051	16.6	17.7	18.4	20.2	22.1
062	20.0	21.4	22.3	24.5	26.7
073	23.5	25.1	26.1	28.8	31.4
083	27.0	28.8	30.0	33.0	36.0

IGUANA VISIO					
L	H	180	192	200	220 240
051	10.2	10.8	11.2	12.3	13.4
062	12.0	12.8	13.3	14.6	15.8
073	13.9	14.8	15.4	16.8	18.3

IGUANA CIRCO CORNER						
L	H	125	150	180	192	200 220 240
027	8.6	10.2	12.0	12.8	13.3	14.6 15.8

IGUANA ANGULA					
L	H	180	192	200	220 240
040	19.4	20.7	20.7	22.7	24.8
046	21.8	23.3	24.3	26.6	29.1
051	24.9	26.7	27.8	30.5	33.4

TETRA		
L	H	180 200
033	15.10	24.10
041	18.80	30.10
050	22.60	36.10
058	26.40	42.10
067	30.10	48.10

PANEL PLUS VERTICAL - litre/cm							
H	180	200	220	240	260	280	300
	0.139	0.152	0.164	0.176	0.188	0.201	0.213

DECO SPACE - litre/cm							
	H	180	192	200	220	240	260
SINGLE		0.21	0.23	0.24	0.26	0.28	0.30
Double		0.43	0.45	0.47	0.51	0.55	0.59

DECO PANEL VERTICAL - litre/cm							
	H	180	192	200	220	240	260
Single		0.13	0.14	0.14	0.16	0.17	0.18
Double		0.26	0.28	0.29	0.31	0.34	0.36

GEO VERTICAL			
L	H	150	180
050	3.1	--	--
060	--	--	4.7

CROSSROADS		
L	H	200
060	9.30	--

MOON		
L	H	196
050	2.50	--

ACCOLADE SANI					
L	H	089	122	153	181 215
050	2.2	3.2	4.0	4.7	5.9
065	2.8	4.0	5.0	5.9	7.3
080	3.3	4.9	5.9	7.1	8.6
095	3.9	5.7	6.9	8.3	10.0


ACCOLADE DECO					
L	H	089	122	153	181 215
050	2.5	3.5	4.5	5.2	6.4
065	3.2	4.4	5.6	6.5	7.9
080	3.8	5.4	6.6	7.8	9.3
095	4.5	6.3	7.8	9.2	10.9


SANI RONDA						
L	H	063	093	122	137	175 205
040	2.4	4.0	5.7	6.5	8.3	10.0
050	2.7	4.6	6.5	7.5	7.5	11.4
060	3.1	5.2	7.3	8.4	10.7	12.8
070	3.5	5.8	8.2	9.4	11.9	14.3
080	3.8	6.4	9.0	10.3	13.1	15.7
100	4.2	7.0	9.9	11.3	14.3	17.1

ARISTOCRAT - NAUTICA					
L	H	068	116	141	188 211
050	3.2	5.8	--	--	--
060	--	--	7.8	10.5	11.9
080	--	--	--	--	14.6

SANI PANEL - SANI LOUVRE						
L	H	073	093	119	139	178 205
040	2.6	3.6	4.6	5.6	7.3	8.7
050	3.0	4.1	5.2	6.3	8.2	9.9
060	3.4	4.6	5.9	7.1	9.2	11.0
070	3.7	5.0	6.5	7.8	10.1	12.2
080	4.1	5.5	7.1	8.5	11.0	13.3
100	4.5	6.0	7.7	9.3	12.0	14.7

SANI BASIC - SANI BOW				
L	H	094	132	170 198
050	3.7	5.2	6.7	--
060	4.2	5.9	7.6	9.0
075	4.9	6.9	8.9	10.6

 Weight and water content without packaging or options



Jaga International  
Verbindingslaan z/n  
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 16  
Fax: +32 (0)11 29 41 60  
export@jaga.be

The information in this price list is correct at the time of printing.  
Jaga reserves the right to change product specification at any time in line  
with our policy of continuous improvement and innovation.  
All prices in Euro, exclude VAT. Prices valid from 1st August 2016.  
Replaces all existing price lists.